

AD-A061 740

VERMONT UNIV BURLINGTON DEPT OF CHEMISTRY  
NOVEL PROPENYLFLUOROPHOSPHAZENE-STYRENE COPOLYMERS. (U)  
OCT 78 C W ALLEN, J G DUPONT

F/G 11/9

UNCLASSIFIED

TR-3

N00014-77-C-0605

NL

| OF |  
ADA  
061740



END  
DATE  
FILMED  
2 -79  
DDC

12

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER 14 TR-3	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER 9
4. TITLE (and Subtitle) Novel Propenylfluorophosphazene-Styrene Copolymers		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) Christopher W. Allen and John G. DuPont		8. CONTRACT OR GRANT NUMBER(s) N001477C-0605
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry University of Vermont Burlington, Vermont 05405		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 12 14p.
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy Arlington, Virginia 22217		12. REPORT DATE October 20, 1978
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) <b>LEVEL 1</b>		15. SECURITY CLASS. (of this report) Unclassified
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release, Distribution unlimited		15) N00014-77-C-0605
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		DDC DEC 1 1978 RESERVE F
18. SUPPLEMENTARY NOTES Submitted to Industrial and Engineering Chemistry Product Research and Development		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Phosphazenes Styrene Copolymers Fire Retardant Materials		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The preparation of organofunctional cyclotriphosphazenes and the copolymerization of one of these materials, 2-[2-propenyl]pentafluorocyclotriphosphazene, with styrene to produce fire retardent styrene copolymers is described. The physical and chemical properties of the new copolymers are discussed.		

AD A061740

DDC FILE COPY

78 11 27 045

408892

LB

OFFICE OF NAVAL RESEARCH  
Contract N0001477C-0605  
Project NR 356-663  
Technical Report No. 3

Novel Propenylfluorophosphazene-Styrene Copolymers

by

Christopher W. Allen\* and John G. DuPont  
Department of Chemistry  
University of Vermont  
Burlington, Vermont 05405

Submitted for consideration  
in

Industrial and Engineering Chemistry  
Product Research and Development

October 20, 1978

Reproduction in whole or in part if permitted for  
any purpose of the United States Government.

Approved for Public Release: Distribution Unlimited

78 11 27 045


Phosphazene derivatives continue to attract the attention of chemists interested in both basic and applied research. The problems of structure, bonding and reactivity provide exciting challenges to the understanding of phosphazene chemistry (Allcock, 1972; Krishnamurthy et.al., 1978) and the existence of a variety of useful properties such as fire retardency and formation of thermally stable polymers indicates the applications potential of these systems (Singler et.al., 1975; Allcock, 1977).

The problem of construction of non-flammable synthetic polymer systems is one of contemporary technological significance (Granzow, 1978). Traditionally, flame retardents have been additives such as antimony oxychloride, phosphate esters or cyclophosphazenes. More recent efforts have involved non-flammable polymers such as polyphosphazenes. There are difficulties associated with each of these approaches. The possibility exists for the additives to leach out over time and the additives may represent biohazards. Wide scale utilization of the polyphosphazenes has yet to be achieved. An alternative approach to those described above is the incorporation of the flame retardent into the polymer backbone. In this communication we would like to describe how our interest in organofunctional cyclophosphazenes has led to incorporation of the fire retardent properties of the phosphazene unit into traditional organic polymers.

Organophosphazenes are most commonly prepared by the reactions of organometallic reagents with hexafluorocyclotriphosphazene,  $P_3N_3F_6$  (1). Recently, interest has developed in the synthesis and reactions of organofunctional phosphazenes (Scheme I).

ACCESSION FOR	
NTIS	File Section <input checked="" type="checkbox"/>
DDC	B.I. Section <input type="checkbox"/>
NAIMONIC'D	<input type="checkbox"/>
J.S. IICA 1-78	
BY	
DISTRIBUTION/AVAILABILITY CODES	
A	

Scheme I.




The aim of our work in this area has been expanding the variety of available organophosphazenes via synthetic transformations of the exocyclic group. Thus the synthesis and reactions of acetylenic (2) (Chivers, 1971), substituted aryl (3) (Allen, et al., 1977),  $\beta$ -keto (4) (DuPont and Allen, 1977) and most recently propenyl (5, 6) (DuPont and Allen, 1978a) phosphazene derivatives have been reported.

Upon examining 2-[2-propenyl]pentafluorocyclotriphosphazene (5), one can consider it to be, on a superficial level, an inorganic relative of styrene. While we considered this, admittedly strained, analogy, we began to wonder if this material

could enter into the broad range of polymer chemistry which is based on styrene.

We chose to explore radical polymerization as our entry into these systems as is shown in Scheme II, (DuPont and Allen, 1978b). While attempted homopolymerization

Scheme II.



of  $\xi$  led only to minute amounts of oligomers, copolymerization with styrene based monomers led to the desired propenylphosphazene/styrene copolymers. By changing the ratio of monomers in the monomer feed, polymers of variable composition incorporating up to 40 mole percent of the phosphazene can be prepared. Approximate reactivity ratio data indicate that the reactivity of the olefinic center in  $\xi$  is reduced by the strongly electron withdrawing phosphazene function.

The molecular weights for the series of propenylphosphazene/styrene copolymers were determined using gel permeation chromatography with equilibrium ultracentrifugation and membrane osmometry as an occasional check. The systems are homogeneous with relatively low polydispersity values. In addition to the absolute magnitude of the figures, the variation of molecular weight with phosphazene content is of


interest. The highest molecular weights ( $M_w = 92,000$ ,  $M_n = 66,000$ ) occur with copolymers of lowest phosphazene content (6.3%) while the lowest molecular weights ( $M_w = 33,000$ ,  $M_n = 25,000$ ) correspond to the highest phosphazene content (36.5%). These observations, along with the reluctance of  $\underline{5}$  to undergo homopolymerization, strongly suggest that phosphazene unit plays a significant role in the termination steps of the polymerization process.

Initial data indicates that the thermal stability of the propenylphosphazene/styrene copolymers compares favorably to that of pure polystyrene. TGA studies show that the temperature required for 50% weight loss is 20 to 30° greater for the copolymers than for the parent organic homopolymer. A 15 to 20% decrease in molecular weight is observed if the copolymer is maintained at 120° for 24 hours. In vacuo, solid state thermolysis for 24 hours at 250° transforms the copolymer to a glassy solid with no formation of volatile species. The broadening of the phosphorus-nitrogen stretching mode in the ir spectrum of the thermolyzed product suggests opening of the phosphorus-nitrogen bond under these conditions (Allen and Sie, 1978).

The copolymers were found to be flame retardant under normal atmospheric conditions. Qualitative tests were carried out simply by holding a flame source to the powdered copolymer. Pure vinyl benzyl chloride and styrene polymers readily ignited and sustained a flame, but the copolymers ignited only with great difficulty and would easily self extinguish. This reflects the fact that the copolymers contain substantial amounts of phosphorus and nitrogen, which are well known fire retardants (Granzow, 1978).

The new copolymers are stable to dilute acid or base. This observation led us to investigate nucleophilic substitution of the phosphazene moiety in the copolymer (Allen and DuPont, 1978). As is shown in Scheme III, weak nucleophiles do not undergo reaction but strong, anionic nucleophiles lead to complete substitution of the

Scheme III



phosphorus-fluorine bonds. While the amido, phenoxy, and trifluoroethoxy derivatives have flame retardant properties, the methoxy and ethoxy derivatives will burn. This observation may indicate the elimination of the volatile alcohol under thermolysis conditions.

In summary, I believe we have demonstrated that the incorporation of the phosphazene unit into traditional organic polymers leads to new, fire retardant polymers. Furthermore, the phosphazene unit provides reactive sites in the copolymer and hence provides a route (via nucleophilic substitution) to potential modification of properties of the polymer.

Literature Cited

- Allcock, H.R., "Phosphorus-Nitrogen Compounds," Academic Press, New York, 1972.
- Allcock, H.R., Angew. Chem. Inter. Edn. Eng., 16, 147 (1977).
- Allen, C.W., Toch, P.L., Perlman, M., Brunst, G., Green, J.C., Chemical Institute of Canada/American Chemical Society Joint Conference, Abst. Inorg., 63, Montreal 1977.
- Allen, C.W., DuPont, J.G., unpublished data, 1978.
- Allen, C.W., Sie, G., unpublished data, 1978.
- Chivers, T., Inorg. Nucl. Chem. Lett., 7, 827 (1971).
- DuPont, J.G., Allen, C.W., Inorg. Chem., 16, 2964 (1977).
- DuPont, J.G., Allen, C.W., Inorg. Chem., 17, 0000 (1978a).
- DuPont, J.G., Allen, C.W., submitted to Macromolecules (1978b).
- Granzow, A., Acc. Chem. Res., 11, 177 (1978).
- Krishnamurthy, S.S., Sau, A.C., Woods, M.J., Adv. Inorg. Chem. Radiochem., 21, 41 (1978).
- Singler, R.E., Schneider, N.S., and Hagnauer, G.L., Polym. Eng. Sci., 15, 321 (1975).

Presented at the Symposium on Inorganic Polymers at the 176th National Meeting of the American Chemical Society, Miami Beach, Florida, September 11-14, 1978. This work was supported, in part, by the Office of Naval Research.

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217 Attn: Code 472	2	Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314	12
ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. George Sandoz	1	U.S. Army Research Office P.O. Box 1211 Research Triangle Park, N.C. 27709 Attn: CRD-AA-IP	1
ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	1	Naval Ocean Systems Center San Diego, California 92152 Attn: Mr. Joe McCartney	1
ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus	1	Naval Weapons Center China Lake, California 93555 Attn: Dr. A. B. Amster Chemistry Division	1
ONR Area Office One Hallidie Plaza, Suite 601 San Francisco, California 94102 Attn: Dr. P. A. Miller	1	Naval Civil Engineering Laboratory Port Hueneme, California 93401 Attn: Dr. R. W. Drisko	1
ONR Branch Office Building 114, Section D 666 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	1	Professor K. E. Woehler Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Director, Naval Research Laboratory Washington, D.C. 20390 Attn: Code 6100	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Assistant Secretary of the Navy (R,E&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217 Attn: Dr. Richard S. Miller	1
Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	1	Naval Ship Research and Development Center Annapolis, Maryland 21401 Attn: Dr. G. Bosmajian Applied Chemistry Division	1
		Naval Ocean Systems Center San Diego, California 91232 Attn: Dr. S. Yamamoto, Marine Sciences Division	1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. T. C. Williams Union Carbide Corporation Chemical and Plastics Tarrytown Technical Center Tarrytown, New York	1	Douglas Aircraft Company 3855 Lakewood Boulevard Long Beach, California 90846 Attn: Technical Library C1 290/36-84 AUTO-Sutton	1
Dr. R. Soulen Contract Research Department Pennwalt Corporation 900 First Avenue King of Prussia, Pennsylvania 19406	1	NASA-Lewis Research Center 21000 Brookpark Road Cleveland, Ohio 44135 Attn: Dr. T. T. Serafini, MS 49-1	1
Dr. A. G. MacDiarmid University of Pennsylvania Department of Chemistry Philadelphia, Pennsylvania 19174	1	Dr. J. Griffith Naval Research Laboratory Chemistry Section, Code 6120 Washington, D.C. 20375	1
Dr. C. Pittman University of Alabama Department of Chemistry University, Alabama 35486	1	Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. E. Allcock Pennsylvania State University Department of Chemistry University Park, Pennsylvania 16802	1	Dr. E. Fischer, Code 2853 Naval Ship Research and Development Center Annapolis Division Annapolis, Maryland 21402	1
Dr. M. Kenney Case-Western University Department of Chemistry Cleveland, Ohio 44106	1	Dr. Martin H. Kaufman, Head Materials Research Branch (Code 4542) Naval Weapons Center China Lake, California 93555	1
Dr. R. Lenz University of Massachusetts Department of Chemistry Amherst, Massachusetts 01002	1	Dr. J. Magill University of Pittsburg Metallurgical and Materials Engineering Pittsburg, Pennsylvania 22230	1
Dr. M. David Curtis University of Michigan Department of Chemistry Ann Arbor, Michigan 48105	1		
Dr. M. Good University of New Orleans Department of Chemistry Lakefront New Orleans, Louisiana 70122	1	Dr. D. Bergbreiter Texas A&M University Department of Chemistry College Station, Texas 77843	1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

No.  
Copies

Professor R. Drago  
Department of Chemistry  
University of Illinois  
Urbana, Illinois 61801

1

Dr. F. Brinkman  
Chemical Stability & Corrosion  
Division  
Department of Commerce  
National Bureau of Standards  
Washington, D.C. 20234

1